

## Architectural Abstract

### Fine Fissured High NRC WET-FELTED ACOUSTICAL CEILING PANELS

- 100% non-directional fissure pattern.
- Excellent for projects requiring high sound absorption.
- PlastiGard™ finish available for a scrubbable/washable surface.

See reverse side for additional product specifications.




Item Number	Nominal Size (Inches)	Edge Detail	UL Classified NRC	UL Classified CAC	LR	Sq. Ft. Per Carton
<b>Safetone® Class A</b>						
HHF-454 DP	24 x 24 x 3/4	Reveal	.70	35	.81	56
HHF-457 DP	24 x 24 x 3/4	Trim	.70	35	.81	56
HHF-497 DP	24 x 48 x 3/4	Trim	.70	35	.81	64


ASTM E 1264 Classification: Type III, Form 2, Pattern C D  
Type IX, Form 2, Pattern C D (PlastiGard™ finish)

\*Specify "PG" after item number for PlastiGard™ finish option. Example: HHF-497 DP PG

#### Edge Detail Options



**Trim Edge**  
(Square) 15/16" Grid



**Reveal Edge**  
(Beveled) 15/16" Grid



**BioShield™ Option**  
Mold and mildew guard  
available as an option.



#### Popular Applications:

- Hospitality • Retail • Office • Education • Healthcare
- Restaurants • Theatres • Open Plan Areas



# PRODUCT SPECIFICATION DETAILS

## ACOUSTICAL CEILING SYSTEMS

### 09500

## PART 2: PRODUCTS

### 2.1 GENERAL


Provide Acoustical Ceiling Material manufactured to meet requirements of this specification in accordance with ASTM E 1264.

### 2.2 MATERIALS

Acoustical Ceiling Units:

1. Type [III] [IX]
2. Form 2
3. Pattern C D
4. Discreet non-directional fissured lay-in panels
5. Size 3/4" thick x [24"x 24" ] [24"x 48" ]
6. Edge Detail [Trim] [Reveal]
7. Noise Reduction Coefficient (NRC) .70
8. Ceiling Attenuation Class (CAC) 35
9. Light Reflectance Coefficient (LR) .81  
Light Reflectance Designation LR-1
10. Color White
11. Flame Spread Classification Class A
12. Manufacturer, subject to compliance with requirements of this specification, BPB
13. Product Name Celotex® Brand Fine Fissured High NRC

#### Size Options



Distributed by:

#### USA

**BPB America Inc.**  
5301 West Cypress St., Suite 300  
Tampa, FL 33607  
Toll Free: +1-866-427-2872  
Fax: +1-800-829-1422  
E-mail: [crc@bpb-na.com](mailto:crc@bpb-na.com)  
Web: [www.bpb-na.com](http://www.bpb-na.com)

#### Canada

**BPB Canada Inc.**  
Architectural Products Sales Division  
6715 Ogdendale Road SE  
Calgary, Alberta T2C 2A4  
Toll Free: +1-866-427-2872  
Fax: +1-800-829-1422  
E-mail: [crc@bpb-na.com](mailto:crc@bpb-na.com)  
Web: [www.bpb-na.com](http://www.bpb-na.com)

#### Outside North America

**BPB America Inc.**  
5301 West Cypress St., Suite 300  
Tampa, FL 33607  
Phone: +1-813-286-3900  
Fax: +1-813-286-3908  
E-mail: [international@bpb-na.com](mailto:international@bpb-na.com)  
Web: [www.bpb-na.com](http://www.bpb-na.com)

Characteristics, properties or performance of materials or systems manufactured by BPB herein described are derived from data obtained under controlled test conditions. BPB makes no warranties, express or implied, as to their characteristics, properties or performance under any variations from such conditions in actual construction. BPB assumes no responsibility for the effects of structural movement.

®™ Trademarks are the property of BPB plc or its affiliates and related companies.

NOTICE: The information in this document is subject to change without notice. BPB assumes no responsibility for any errors that may inadvertently appear in this document.

©2005 BPB America Inc. Printed in U.S.A. Form LCD-4629 Rev. A/W/0405

